

THERMOPILE TYPE INFRARED SENSOR

SUNSTAR传感与控制 <http://www.sensor-ic.com/> TEL:0755-83376549 FAX:0755-83376182 E-MAIL:szsss20@163.com

THERMOPILE

Thermopile type Infrared sensor
utilizing own silicon micromachining
technology.


Applications: Tympanic thermometer
Microwave oven
Non contact temperature measurement



Part number

Part No.	type	Thermistor
10TP583T	TO18	Built-in

Dimensions



Ratings

Parameters	Value	Unit	Conditions
	10TP583T		
Sensitive area	1.05×1.05	mm ²	Size of Absorbing Film
*1 Responsivity	15±30%	V/ W	
*1 Output Voltage	200±30%	μV	
*2 Output Voltage	1.00±30%	mV	
*1 Temperature Coefficient of Responsivity	0.02±0.02	% / °C	Reference
Thermopile Resistance	65±30%	kΩ	
Temperature Coefficient of Thermopile Resistance	±0.1	% / °C	
Johnson Noise Voltage	33	nV/ √Hz	Johnson Noise r.m.s.,298K 1Hz Typical
*1 S/N Ratio	75.7	dB	Output Voltage/Johnson Noise, Typical
*1 Noise Equivalent Power	2.2	nW/ Hz ^{1/2}	Typical
*1 Specific Detectivity	4.7×10 ⁷	cm·Hz ^{1/2} / w	Typical
Time Constant	15	ms	Typical
Operating Temperature range	-20~+100	°C	
Storage Temperature range	-40~+100	°C	
Filter Range	Cut on 5	μm	Standard
Field of View	±50	deg.	Incident Angle to Achieve 50% Responsivity
Insulation Resistance	≥500	MΩ	Application of DC25V
Sealing	≤1×10 ⁻⁹	Pa·m ³ / s	
*3 Thermistor Resistance Value	100±3%	kΩ	Rated Zero-power Resistance Value at 25°C
*3 Thermistor B-Value	3435±0.7%	K	
*3 Thermistor Rated Power	0.5	mW	at 25°C

*1 Test Condition
Blackbody Temperature : 500K
Sensor-Blackbody Distance : 100mm
Sensor Temperature : 298K
Aperture size : φ12.7mm

*2 Test Condition
Blackbody Temperature : 310K
Sensor Temperature : 298K

*3 Built-in Type

THERMOPILE SPECIFICATION

1. Scope

This specification defines ratings, characteristics, reliability and dimensions for this thermopile.

2. Part No.

10TP583T


3. Ratings

Item	Characteristics	Condition
Output Voltage 1	200 μ V \pm 30%	Blackbody Temperature: 500K Aperture size: ϕ 12.7mm Sensor-Blackbody Distance: 100mm Thermopile Temperature: 298K
Output Voltage 2	1.0mV \pm 30%	Blackbody Temperature: 37°C Thermopile Temperature: 25°C (Standard test Method by Ishizuka.)
Temperature Coefficient of Output Voltage	0.02 \pm 0.02% / °C (Reference Value)	
Thermopile Resistance	65k Ω \pm 30%	At 25°C
Operating Temperature Range	-20 ~ 100°C	
Storage Temperature Range	-40 ~ 100°C	
Insulation Resistance	\geq 500M Ω	Under DC25V, between terminal 1 or 3 and 4. Terminal 1 and 3 is a short circuit.
Nominal Zero - power Resistance Value (R25)	100k Ω \pm 3%	At 25°C
B - Value (B _{25/85})	3435K \pm 0.7%	Calculated using the zero-power resistance values measured at 25°C and 85°C. Tolerance in a lot is \pm 0.2%.


Spec.No : S04-0008		Note	REVISION	
Date : Jan. 21,2004			A	
Approved	Checked	Drawn	B	
KATO.Y	USUI.M	HAYASHI.K	C	

4.Characteristics


1) Output Voltage vs. Object Temperature



2) Typical Field of View (Typical)



3) Typical Filter Range (Typical)



5. Properties

1) Mechanical Properties


Items	Conditions	Criteria
Free fall	Drop samples 3times naturally onto concrete from 1m high.	The change ratio of Output Voltage of Thermopile shall be within $\pm 2\%$ of initial value. The change ratio of Resistance(R25) of Thermistor shall be $\pm 0.3\%$ of initial value. The change ratio of B-value(B25/85) of Thermistor shall be $\pm 0.2\%$ of initial value.
Vibration	10~55Hz, 6hours	The change ratio of Output Voltage of Thermopile shall be within $\pm 2\%$ of initial value. The change ratio of Resistance(R25) of Thermistor shall be $\pm 0.3\%$ of initial value. The change ratio of B-value(B25/85) of Thermistor shall be $\pm 0.2\%$ of initial value.
Bending	Fix sample vertically. Bending cycling shall be repeated 2.5 times. One cycling shall be as follows: Bend into 90° →Bend back to original position.	No damage.
Resistance to soldering heat	Apply $350 \pm 10^\circ\text{C}$, $5 \pm 1\text{sec.}$ to leads.	The change ratio of Output Voltage of Thermopile shall be within $\pm 2\%$ of initial value. The change ratio of Resistance(R25) of Thermistor shall be $\pm 0.3\%$ of initial value. The change ratio of B-value(B25/85) of Thermistor shall be $\pm 0.2\%$ of initial value.

2) Climatic properties


Items	Conditions	Criteria
Dry heat	At $100 \pm 5^{\circ}\text{C}$, 1 000hr.	The change ratio of Output Voltage of Thermopile shall be within $\pm 2\%$ of initial value. The change ratio of Resistance(R25) of Thermistor shall be $\pm 0.5\%$ of initial value. The change ratio of B-value(B25/85) of Thermistor shall be $\pm 0.2\%$ of initial value.
Cold	At $-40 \pm 5^{\circ}\text{C}$, 1 000hr.	The change ratio of Output Voltage of Thermopile shall be within $\pm 2\%$ of initial value. The change ratio of Resistance(R25) of Thermistor shall be $\pm 0.3\%$ of initial value. The change ratio of B-value(B25/85) of Thermistor shall be $\pm 0.2\%$ of initial value.
Temperature cycling	Temperature cycling shall be repeated 10 times. One cycle shall be as follows: At $-20 \pm 5^{\circ}\text{C}$ for 30min. → At $25 \pm 5^{\circ}\text{C}$ for 3min. → At $100 \pm 5^{\circ}\text{C}$ for 30min. → At $25 \pm 5^{\circ}\text{C}$ for 3min.	The change ratio of Output Voltage of Thermopile shall be within $\pm 2\%$ of initial value. The change ratio of Resistance(R25) of Thermistor shall be $\pm 0.3\%$ of initial value. The change ratio of B-value(B25/85) of Thermistor shall be $\pm 0.2\%$ of initial value.
Damp heat	At $60 \pm 5^{\circ}\text{C}$, at $85 \pm 5\% \text{RH}$, 1 000hr.	The change ratio of Output Voltage of Thermopile shall be within $\pm 2\%$ of initial value. The change ratio of Resistance(R25) of Thermistor shall be $\pm 0.3\%$ of initial value. The change ratio of B-value(B25/85) of Thermistor shall be $\pm 0.2\%$ of initial value.

6. Dimensions


TOP VIEW




SIDE VIEW



BITTEN VIEW



CONNECTION



Unit:[mm]

Marking(example) : 3T
0123

①: "3T" represents Part No. of 10TP583T
②: "0123" represents Lot No


SEMITEC[®] Ishizuka Electronics Corporation

7. Material and dimension of the stick magazine.

Material: Transparent polystyrene (Antistatic treated)

Dimension: $277 \pm 1\text{mm} \times 7.3 \pm 0.4\text{mm} \times 19.2 \pm 0.3\text{mm}$

Marking color: Red




8. Packaging method

1) Stick Magazine (Fig. 1)

Stoppers shall be inserted into both ends of the stick magazine.

Quantity: 50pcs per stick magazine.



2) Internal box (Fig.2)

20 of Stick Magazines (10 Stick Magazines \times 2 layers) are put into a plastic bag, which bag is vacuumed and sealed.


Marking side of the magazine shall face to the same direction.

A desiccant is also put into the plastic bag.

This plastic bag is enclosed into an internal box.

Dimension: $(307\text{mm}) \times (95\text{mm}) \times (45\text{mm})$

Quantity: 1000pcs per internal box.





Output Voltage characteristics (Typical)

Thermopile Output Voltage [mV]		Thermistor Temperature [°C]												
		-20	-10	0	10	20	30	40	50	60	70	80	90	100
Object Temperature [°C]	-20	0.00	-0.51	-1.08	-1.72	-2.43	-3.21	-4.08	-5.03	-6.08	-7.22	-8.47	-9.83	-11.31
	-10	0.51	0.00	-0.57	-1.21	-1.92	-2.70	-3.57	-4.52	-5.57	-6.71	-7.96	-9.32	-10.80
	0	1.08	0.57	0.00	-0.64	-1.35	-2.13	-3.00	-3.95	-5.00	-6.14	-7.39	-8.75	-10.23
	10	1.72	1.21	0.64	0.00	-0.71	-1.49	-2.36	-3.31	-4.36	-5.50	-6.75	-8.11	-9.59
	20	2.43	1.92	1.35	0.71	0.00	-0.78	-1.65	-2.60	-3.65	-4.80	-6.04	-7.40	-8.88
	30	3.21	2.70	2.13	1.49	0.78	0.00	-0.87	-1.82	-2.87	-4.01	-5.26	-6.62	-8.10
	40	4.08	3.57	3.00	2.36	1.65	0.87	0.00	-0.95	-2.00	-3.14	-4.39	-5.75	-7.23
	50	5.03	4.52	3.95	3.31	2.60	1.82	0.95	0.00	-1.05	-2.19	-3.44	-4.80	-6.28
	60	6.08	5.57	5.00	4.36	3.65	2.87	2.00	1.05	0.00	-1.14	-2.39	-3.75	-5.23
	70	7.22	6.71	6.14	5.50	4.80	4.01	3.14	2.19	1.14	0.00	-1.25	-2.61	-4.09
	80	8.47	7.96	7.39	6.75	6.04	5.26	4.39	3.44	2.39	1.25	0.00	-1.36	-2.84
	90	9.83	9.32	8.75	8.11	7.40	6.62	5.75	4.80	3.75	2.61	1.36	0.00	-1.48
	100	11.31	10.80	10.23	9.59	8.88	8.10	7.23	6.28	5.23	4.09	2.84	1.48	0.00
	110	12.91	12.40	11.83	11.19	10.48	9.70	8.83	7.88	6.83	5.69	4.44	3.08	1.60
	120	14.64	14.13	13.56	12.92	12.21	11.43	10.56	9.61	8.56	7.42	6.17	4.81	3.33
	130	16.51	16.00	15.43	14.79	14.08	13.30	12.43	11.48	10.43	9.29	8.04	6.68	5.20
	140	18.52	18.01	17.44	16.80	16.09	15.31	14.44	13.49	12.44	11.30	10.05	8.69	7.21
	150	20.68	20.17	19.60	18.97	18.26	17.47	16.61	15.65	14.61	13.46	12.21	10.85	9.38
	160	23.01	22.50	21.93	21.29	20.58	19.80	18.93	17.98	16.93	15.79	14.54	13.18	11.70
	170	25.50	24.99	24.42	23.78	23.07	22.29	21.42	20.47	19.42	18.28	17.03	15.67	14.19
180	28.16	27.65	27.08	26.44	25.74	24.95	24.08	23.13	22.09	20.94	19.69	18.33	16.85	
190	31.01	30.50	29.93	29.29	28.58	27.80	26.93	25.98	24.93	23.79	22.54	21.18	19.70	
200	34.05	33.54	32.97	32.33	31.62	30.83	29.97	29.02	27.97	26.82	25.58	24.22	22.74	

Spec. NO. S04-0008

SEMITEC *Ishizuka Electronics Corporation*

10. Temperature vs. Resistance of Thermistor [ITS-90]

1)

Temp.(°C)	Rmax. (kΩ)	Rst. (kΩ)	Rmin. (kΩ)	Tolerance(°C)	
-20	706.14	676.46	647.44	---	0.91
-19	672.49	644.45	617.01	-0.88	0.91
-18	640.70	614.18	588.24	-0.88	0.91
-17	610.64	585.56	561.01	-0.88	0.91
-16	582.20	558.48	535.24	-0.88	0.91
-15	555.30	532.85	510.84	-0.88	0.91
-14	529.83	508.58	487.73	-0.88	0.91
-13	505.71	485.58	465.83	-0.88	0.91
-12	482.87	463.80	445.08	-0.88	0.91
-11	461.21	443.14	425.39	-0.88	0.91
-10	440.69	423.55	406.71	-0.88	0.89
-9	420.91	404.67	388.71	-0.87	0.89
-8	402.16	386.77	371.63	-0.87	0.89
-7	384.38	369.79	355.42	-0.87	0.89
-6	367.51	353.67	340.04	-0.87	0.89
-5	351.50	338.36	325.42	-0.87	0.89
-4	336.29	323.82	311.54	-0.87	0.89
-3	321.85	310.01	298.34	-0.87	0.89
-2	308.13	296.89	285.79	-0.86	0.89
-1	295.09	284.41	273.86	-0.86	0.89
0	282.69	272.54	262.51	-0.86	0.88
1	270.72	261.07	251.54	-0.85	0.88
2	259.33	250.17	241.11	-0.85	0.88
3	248.50	239.79	231.18	-0.85	0.87
4	238.20	229.92	221.73	-0.85	0.87
5	228.39	220.52	212.72	-0.84	0.87
6	218.99	211.50	204.08	-0.84	0.87
7	210.04	202.91	195.85	-0.84	0.87
8	201.51	194.73	188.01	-0.84	0.86
9	193.39	186.94	180.54	-0.84	0.86
10	185.65	179.50	173.41	-0.83	0.86
11	178.21	172.36	166.55	-0.83	0.85
12	171.11	165.54	160.01	-0.83	0.85
13	164.35	159.04	153.77	-0.82	0.85
14	157.89	152.84	147.81	-0.82	0.85
15	151.73	146.92	142.13	-0.82	0.84
16	145.81	141.22	136.66	-0.81	0.84
17	140.16	135.79	131.43	-0.81	0.84
18	134.77	130.60	126.44	-0.81	0.84
19	129.61	125.64	121.67	-0.81	0.84
20	124.69	120.90	117.12	-0.81	0.83

Spec. NO. S04-0008

2)


Temp.(°C)	Rmax. (kΩ)	Rst. (kΩ)	Rmin. (kΩ)	Tolerance(°C)	
20	124.69	120.90	117.12	-0.81	0.83
21	119.95	116.34	112.73	-0.80	0.83
22	115.42	111.97	108.53	-0.80	0.83
23	111.10	107.80	104.51	-0.80	0.83
24	106.96	103.82	100.67	-0.80	0.82
25	103.00	100.00	97.000	-0.79	0.82
26	99.245	96.329	93.415	-0.80	0.83
27	95.650	92.816	89.985	-0.82	0.84
28	92.209	89.453	86.702	-0.83	0.86
29	88.912	86.233	83.560	-0.84	0.87
30	85.755	83.149	80.551	-0.85	0.87
31	82.703	80.170	77.645	-0.86	0.89
32	79.779	77.316	74.862	-0.87	0.90
33	76.977	74.582	72.196	-0.88	0.91
34	74.290	71.960	69.641	-0.90	0.93
35	71.714	69.448	67.192	-0.91	0.93
36	69.230	67.025	64.833	-0.92	0.95
37	66.847	64.703	62.570	-0.93	0.96
38	64.561	62.474	60.401	-0.94	0.97
39	62.367	60.336	58.320	-0.96	0.99
40	60.260	58.285	56.323	-0.97	0.99
41	58.223	56.300	54.392	-0.97	1.01
42	56.266	54.395	52.539	-0.99	1.02
43	54.387	52.566	50.760	-1.00	1.03
44	52.582	50.809	49.052	-1.01	1.05
45	50.848	49.122	47.412	-1.03	1.06
46	49.181	47.501	45.836	-1.04	1.07
47	47.579	45.943	44.322	-1.05	1.09
48	46.039	44.445	42.867	-1.07	1.10
49	44.557	43.005	41.469	-1.08	1.12
50	43.132	41.620	40.124	-1.09	1.12
51	41.746	40.273	38.817	-1.10	1.13
52	40.412	38.977	37.560	-1.11	1.15
53	39.129	37.731	36.350	-1.12	1.16
54	37.894	36.532	35.187	-1.14	1.17
55	36.705	35.378	34.068	-1.15	1.19
56	35.561	34.267	32.991	-1.17	1.20
57	34.459	33.198	31.954	-1.18	1.22
58	33.397	32.168	30.956	-1.19	1.23
59	32.374	31.175	29.994	-1.21	1.25

3)

<u>Temp.(°C)</u>	<u>Rmax. (kΩ)</u>	<u>Rst. (kΩ)</u>	<u>Rmin. (kΩ)</u>	<u>Tolerance(°C)</u>	
60	31.388	30.220	29.068	-1.22	1.25
61	30.429	29.290	28.168	-1.23	1.26
62	29.505	28.394	27.301	-1.24	1.28
63	28.614	27.531	26.465	-1.25	1.29
64	27.756	26.699	25.660	-1.27	1.31
65	26.927	25.897	24.884	-1.28	1.32
66	26.129	25.123	24.135	-1.30	1.34
67	25.358	24.377	23.413	-1.31	1.35
68	24.614	23.658	22.717	-1.33	1.37
69	23.897	22.963	22.046	-1.34	1.38
70	23.204	22.293	21.398	-1.35	1.38
71	22.529	21.640	20.767	-1.36	1.40
72	21.878	21.010	20.158	-1.37	1.42
73	21.249	20.402	19.571	-1.39	1.43
74	20.642	19.815	19.004	-1.40	1.45
75	20.055	19.247	18.456	-1.42	1.46
76	19.488	18.700	17.927	-1.43	1.48
77	18.940	18.170	17.416	-1.45	1.49
78	18.411	17.659	16.923	-1.46	1.51
79	17.899	17.165	16.446	-1.48	1.52
80	17.405	16.687	15.985	-1.49	1.53
81	16.924	16.223	15.537	-1.50	1.55
82	16.458	15.774	15.104	-1.52	1.56
83	16.008	15.340	14.685	-1.53	1.58
84	15.573	14.920	14.281	-1.55	1.59
85	15.152	14.513	13.889	-1.56	1.60
86	14.744	14.119	13.509	-1.57	1.62
87	14.348	13.738	13.142	-1.59	1.64
88	13.965	13.369	12.787	-1.61	1.65
89	13.595	13.012	12.443	-1.62	1.67
90	13.236	12.666	12.110	-1.63	1.68
91	12.887	12.330	11.786	-1.64	1.69
92	12.549	12.004	11.472	-1.66	1.71
93	12.222	11.689	11.169	-1.68	1.73
94	11.904	11.383	10.875	-1.69	1.74
95	11.597	11.087	10.590	-1.71	1.76
96	11.299	10.801	10.315	-1.72	1.78
97	11.011	10.523	10.047	-1.74	1.79
98	10.731	10.254	9.7887	-1.76	1.81
99	10.460	9.993	9.5379	-1.77	1.83

Spec. NO. S04-0008

10/13



1.1. Inspection Standard

1) Shipping Inspection

ANSI/ASQC Z1.4 Standard of special examination S-3, Regular examination AQL 1.0% (Ac=0, Re=1) One time sampling shall be implemented.

2) Test Datas

Datas of following test items shall be provided for every shipment.

Item	Conditions
Output Voltage	Blackbody Temperature: 37°C Sensor Temperature: 25°C (Value at 37°C converted form measured value with condition of blackbody temperature of 80°C shall be stated.)
Thermopile Resistance	At 25°C ± 5°C
Thermistor Resistance Value Nominal Zero – power Resistance Value	At 25°C
B-Value (B _{25/85})	Calculated using the zero-power resistance values measured at 25°C and 85°C. Tolerance in a lot is ± 0.2%.

12. Precautions for Use of Thermopile Sensor

Warning: Since breakdown of thermopile, and damage or malfunction of used equipment may caused, comply with the followings;

- (1) Thermopile is designed to match the specified usage. Do not apply unspecified usage.
- (2) When designing equipment, perform reliability test to confirm no abnormality after mounting thermopile.
- (3) Do not use without specified operating temperatures.
- (4) When using thermopile as a sensor, take through measures to prevent accident such as setting safety circuit or using the sensor with equivalent function sensor.
- (5) Please perform the following actions under the environment being affected by noise.
 - Settlement of the protect circuit
 - Shield the whole part of thermopile. (including lead wire)
- (6) Do not use with power more than the ratings or maximum tolerance.
- (7) Do not apply the voltage that is over 5V to Thermopile and Thermistor
- (8) Please do not add vibration, impact shock (falling etc) and pressure which are over the limit to the thermopile.
- (9) Do not fold lead wires at the base of stem
- (10) Please do not add equal to or more than 5N pulling power for the pulling direction to the read wire.
- (11) Please confirm the connecting finish under the clean condition without any dirty, rust for the connecting part of the lead wire to avoid the loose connection.
- (12) Melt solder and soldering iron should only be contacted to the part of the lead wire.
- (13) Soldering condition shall be equal to or less than 10 sec. when the soldering iron is under the condition of 260°C.
- (14) Do not keep using the thermopile for a long time at relative humidities of above 85%.
- (15) Do not use Thermopile under the condensing environment.
- (16) Warn to consumer not to touch thermopile if thermopile can be physical contacted at the final applications.
- (17) Please do not use the thermopile under the following environment.
 - Corrosive gas(Cl₂, NH₃, SO_x, NO_x etc)
 - High conductive conditions (electrolyte, water, salt water)
 - Under a lot of powder dust
- (18) Flux for soldering may cause corrosion. To prevent corrosion, use rosinous flux contains chlorine less than 0.2wt% and wash flux away well after soldering.

Note: When using thermopile, observe the followings;

- (1) Consult with us when you reprocess thermopile.
- (2) When mounting thermopile on equipment, comply with the followings, otherwise, correct "Power of IR" can not be detected and malfunction may occur;
 - Field of view of thermopile shall cover all detecting area.
 - IR transmitted filter shall be clean, with no dew condensation, dirt and scratches.
 - When using optical parts with thermopile, consider well following factors of optical parts;
 - * Transmittance,
 - * Reflectance,
 - * Absorptance
 - * Temperature distribution
 - Thermistor for temperature compensation shall be mounted to thermopile by grease or adhesive with good heat conduction.
- (3) When mounting thermopile by pushing, pressing, tightening or inserting, consult with us as to mounting condition such as mechanical strength.
- (4) Use ethanol for washing thermopile.
- (5) In order to prevent corrosion/deterioration and damage, store Thermopile as packed without load applied at temperature from -10°C to $+40^{\circ}\text{C}$ and relative humidity not exceeding 75% and avoid drastic temperature change, direct sunlight, corrosive gas, dust and dirt. Portion of cross-sectional surface in Nose-Cut and welding area of flange shall not be covered by warranty of rust.
- (6) Portion of cross-sectional surface in Nose-Cut and welding area of flange shall not be covered by warranty of rust.

SUNSTAR商斯达实业集团是集研发、生产、工程、销售、代理经销、技术咨询、信息服务等为一体的高科技企业，是专业高科技电子产品生产厂家，是具有 10 多年历史的专业电子元器件供应商，是中国最早和最大的仓储式连锁规模经营大型综合电子零部件代理分销商之一，是一家专业代理和分销世界各大品牌 IC 芯片和电子元器件的连锁经营综合性国际公司。在香港、北京、深圳、上海、西安、成都等全国主要电子市场设有直属分公司和产品展示展销窗口门市部专卖店及代理分销商，已在全国范围内建成强大统一的供货和代理分销网络。我们专业代理经销、开发生产电子元器件、集成电路、传感器、微波光电元器件、工控机/DOC/DOM 电子盘、专用电路、单片机开发、MCU/DSP/ARM/FPGA 软件硬件、二极管、三极管、模块等，是您可靠的一站式现货配套供应商、方案提供商、部件功能模块开发配套商。专业以现代信息产业（计算机、通讯及传感器）三大支柱之一的传感器为主营业务，专业经营各类传感器的代理、销售生产、网络信息、科技图书资料及配套产品设计、工程开发。我们的专业网站——中国传感器科技信息网（全球传感器数据库）www.SENSOR-IC.COM 服务于全球高科技生产商及贸易商，为企业科技产品开发提供技术交流平台。欢迎各厂商互通有无、交换信息、交换链接、发布寻求代理信息。欢迎国外高科技传感器、变送器、执行器、自动控制产品厂商介绍产品到中国，共同开拓市场。本网站是关于各种传感器-变送器-仪器仪表及工业自动化大型专业网站，深入到工业控制、系统工程计 测量、自动化、安防报警、消费电子等众多领域，把最新的传感器-变送器-仪器仪表买卖信息，最新技术供求，最新采购商，行业动态，发展方向，最新的技术应用和市场资讯及时的传递给广大科技开发、科学研究、产品设计人员。本网站已成功为石油、化工、电力、医药、生物、航空、航天、国防、能源、冶金、电子、工业、农业、交通、汽车、矿山、煤炭、纺织、信息、通信、IT、安防、环保、印刷、科研、气象、仪器仪表等领域从事科学研究、产品设计、开发、生产制造的科技人员、管理人员、和采购人员提供满意服务。我们公司专业生产、代理、经销、销售各种传感器、变送器、敏感元器件、开关、执行器、仪器仪表、自动化控制系统：专业从事设计、生产、销售各种传感器、变送器、各种测控仪表、热工仪表、现场控制器、计算机控制系统、数据采集系统、各类环境监控系统、专用控制系统应用软件以及嵌入式系统开发及应用等工作。如热敏电阻、压敏电阻、温度传感器、温度变送器、湿度传感器、湿度变送器、气体传感器、气体变送器、压力传感器、压力变送、称重传感器、物（液）位传感器、物（液）位变送器、流量传感器、流量变送器、电流（压）传感器、溶氧传感器、霍尔传感器、图像传感器、超声波传感器、位移传感器、速度传感器、加速度传感器、扭距传感器、红外传感器、紫外传感器、火焰传感器、激光传感器、振动传感器、轴角传感器、光电传感器、接近传感器、干簧管传感器、继电器传感器、微型电泵、磁敏（阻）传感器、压力开关、接近开关、光电开关、色标传感器、光纤传感器、齿轮测速传感器、时间继电器、计数器、计米器、温控仪、固态继电器、调压模块、电磁铁、电压表、电流表等特殊传感器。同时承接传感器应用电路、产品设计和自动化工程项目。

更多产品请看本公司产品专用销售网站：

商斯达中国传感器科技信息网：<http://www.sensor-ic.com/>

商斯达工控安防网：<http://www.pc-ps.net/>

商斯达电子元器件网：<http://www.sunstare.com/>

商斯达微波光电产品网：[HTTP://www.rfoe.net/](http://www.rfoe.net/)

商斯达消费电子产品网：<http://www.icasic.com/>

商斯达军工产品网：<http://www.junpinic.com/>

商斯达实业科技产品网：<http://www.sunstars.cn/> 传感器销售热线：

地址：深圳市福田区福华路福庆街鸿图大厦 1602 室

电话：0755-83607652 83376489 83376549 83370250 83370251 82500323

传真：0755-83376182 (0) 13902971329 MSN: SUNS888@hotmail.com

邮编：518033 E-mail: szss20@163.com QQ: 195847376

深圳赛格展销部：深圳华强北路赛格电子市场 2583 号 电话：0755-83665529 25059422

技术支持：0755-83394033 13501568376

欢迎索取免费详细资料、设计指南和光盘；产品凡多，未能尽录，欢迎来电查询。

北京分公司：北京海淀区知春路 132 号中发电子大厦 3097 号

TEL: 010-81159046 82615020 13501189838 FAX: 010-62543996

上海分公司：上海市北京东路 668 号上海赛格电子市场 D125 号

TEL: 021-28311762 56703037 13701955389 FAX: 021-56703037

西安分公司：西安高新开发区 20 所(中国电子科技集团导航技术研究所)

西安劳动南路 88 号电子商城二楼 D23 号

TEL: 029-81022619 13072977981 FAX: 029-88789382