









## Dual-In-Line Packages

Picture	Part Number	Schematic Contact Form (Bottom View)	Nominal Voltage (VDC)	Coil Resistance (ohms 10%)	Nominal Input Power (mW)	Must Operate Voltage (VDC)	Must Release Voltage (VDC)	Maximum Voltage (VDC)
	DIP-1A05	<b>1 Form A</b> 	5	500	50	3.75	0.6	21.0
	DIP-1A12		12	1000	144	9.00	1.0	30.0
	DIP-1A24		24	2150	268	18.00	2.0	44.0
	DIP-1B05	<b>1 Form B</b> 	5	500	50	3.75	0.6	6.0
	DIP-1B12		12	1000	144	9.00	1.0	14.5
	DIP-1B24		24	2150	268	18.00	2.0	29.0
	DIP-1C05	<b>1 Form C</b> 	5	200	125	3.75	0.6	12.0
	DIP-1C12		12	500	288	9.00	1.0	18.0
	DIP-1C24		24	2150	268	18.00	2.0	32.0

	DIP-2A05		5	140	179	3.75	0.6	11.0
	DIP-2A12		12	500	288	9.00	1.0	21.0
	DIP-2A24		24	2150	268	18.00	2.0	44.0
<p><b>Options:</b></p> <p>Nil: Std Type                      S: Magnetic shield  A: Electrostatic Shield            AS: Electrostatic Shield and Magnetic Shield  B: Diode                                BS: Diode and Magnetic Shield  C: Electrostatic Shield and diode   CS: Electrostatic Shield and Diode and Magnetic Shield</p>								
<p><b>Features:</b></p> <ul style="list-style-type: none"> <li>• Epoxy molded, 14 pin dual-in-line packages.</li> <li>• Can be immersed during board cleaning operations.</li> <li>• High isolation between input and output.</li> <li>• High speed and low driving power.</li> <li>• Standard nominal coil voltage=5, 12 and 24 volts.</li> <li>• Can be meet special requirments for coil voltage and / or coil resistance.</li> </ul>								

欢迎索取免费详细资料、设计选型指南和光盘、样品；产品繁多未能尽录，欢迎来电查询。

[中国传感器科技信息网：HTTP://WWW.SENSOR-IC.COM/](http://WWW.SENSOR-IC.COM/)

[工控安防网：HTTP://WWW.PC-PS.NET/](http://WWW.PC-PS.NET/)

[消费电子专用电路网：HTTP://WWW.SUNSTARE.COM/](http://WWW.SUNSTARE.COM/)

E-MAIL：[xjr5@163.com](mailto:xjr5@163.com) [szss20@163.com](mailto:szss20@163.com)

MSN：[suns8888@hotmail.com](mailto:suns8888@hotmail.com)

QQ：195847376

地址：深圳市福田区福华路福庆街鸿图大厦 1602 室

电话：0755-83376549 83376489 83387030 83387016

传真：0755-83376182 83338339 邮编：518033 手机：(0)13902971329

深圳展销部：深圳华强北路赛格电子市场 2583 号 TEL/FAX：  
0755-83665529 25059422

北京分公司：北京海淀区知春路 132 号中发电子大厦 3097 号

TEL：010-81159046 82615020 13501189838 FAX：010-82613476

上海分公司：上海市北京东路 668 号上海赛格电子市场 2B35 号

TEL：021-28311762 56703037 13701955389 FAX：021-56703037

西安分公司：西安高新开发区 20 所(中国电子科技集团导航技术研究所)  
西安劳动南路 88 号电子商城二楼 D23 号

TEL：029-81022619 13072977981 FAX:029-88789382

成都：TEL:(0)13717066236

技术支持：0755-83394033 13501568376